

# RUSH

## NOTICE RE: CERTIFICATES OF CORRECTION

Paper No. 19DATE : 12-10-98TO : Supervisor, Art Unit 1805SUBJECT : Certificate of Correction Request in Patent No. 5 795 865

# RUSH

A response to the following question(s) is requested with respect to the accompanying request for a certificate of correction.

- ☐ 1. Would the change(s) requested under 37 CFR 1.323 constitute new matter or require reexamination of the application?
- ☐ 2. Would the change(s) requested under 37 CFR 1.323 materially affect the scope or meaning of the claims allowed by the examiner in the patent?
- ☐ 3. Applicant disagrees with change(s) initialed and dated by Examiner in lieu of an Examiner's Amendment. Should the change request be granted?
- ☒ 4. With respect to the change(s) requested, correcting <sup>ATTORNEY</sup> Office errors, should the patent read as shown in the certificate of correction? COL 8, 9 & CLAIM COL 3, line 44
- ☐ 5. If the amendment filed \_\_\_\_\_ had been considered by the Examiner, would the amendment have been entered?

PLEASE RESPOND WITHIN 7 DAYS AND RETURN THE FILE TO  
ROOM 809, PKI

207

P. JONES  
Patent Assistant

TO: CERTIFICATES OF CORRECTION BRANCH

# RUSH

DATE:

The decision regarding the change(s) requested in the certificate of correction is shown below.

- |                                 |  |   |
|---------------------------------|--|---|
| 1. <input type="checkbox"/> YES | <input type="checkbox"/> NO            | <input type="checkbox"/> Comments below |
| 2. <input type="checkbox"/> YES | <input type="checkbox"/> NO            | <input type="checkbox"/> Comments below |
| 3. <input type="checkbox"/> YES | <input type="checkbox"/> NO            | <input type="checkbox"/> Comments below |
| 4. <input type="checkbox"/> YES | <input checked="" type="checkbox"/> NO | <input type="checkbox"/> Comments below |
| 5. <input type="checkbox"/> YES | <input type="checkbox"/> NO            | <input type="checkbox"/> Comments below |

☒ Comments IN COLUMN 8 AT LINE 35, THE SPACE SHOULD BE PUT IN BETWEEN "TISH" AND "E18P", BUT CORRECTION SHOULD NOT BE PRINTED AS REQUESTED BY APPLICANT, WITHOUT THE H AFTER TIR.

ALL OTHER CORRECTIONS ARE OK.

James L. Elliott  
Supervisor

1636  
Art Unit